

MATERIAL SAFETY DATA SHEET (MSDS)	TimberLuxe P.O. Box 462 Nevada, MO 64772
TimberLuxe Semi-Gloss	

Section I – Identification			
NON-HAZARDOUS INGREDIENTS			
Ingredients:	Wt. Per Cent	CAS#	Hazardous Listings
Sunflower Oil	0-25%	8001-21-6	N/A
Proprietary inert ingredients	0.25 – 1.25 %	N/A	N/A

Section II – Hazardous Components			
Ingredients:	Wt. Per Cent	CAS#	Hazardous Listings (In Concentrated form) Note product has limited concentrations of these ingredients.
Medium Aliphatic Naphtha	43.75% - 48.75%	64742-88-7	Irritant to eyes, skin and mucous membranes. Corrosive to eye and skin. . Not listed as carcinogen, teratogen, or mutagen.
Linseed Oil	25%	68553-15-1	Spontaneous combustion hazard. Irritant to eyes, skin and mucous membranes.
Petroleum distillates	3.75 – 30%		Spontaneous combustion hazard. Irritant to eyes, skin and mucous membranes.
Stoddard Solvent	6.25 – 7.5%	8052-41-3	Spontaneous combustion hazard. Irritant to eyes, skin and mucous membranes.
1,2,4-Trimethylbenzene	0-1.25 %	95-63-6	Carcinogen
Dipentene	0.25 – 1.25%	138-86-3	Irritant to eyes, skin and mucous membranes.
Metal Alkanoates	0-2.5 %	Various	Irritating to skin, eyes and respiratory tract. Harmful if swallowed or inhaled.
Cobalt Octoate	0-0.5%	136-52-7 / 13586-82-8	Irritating or harmful to eyes, skin and mucous membranes.
Turpentine	< 0.01 %	9005-90-7	Irritant to eyes, skin and mucous membranes. May cause renal failure if ingested. May irritate existing breathing disorders.
Ethyl 3-Ethoxypropionate	< 0.01 %	763-69-9	May irritate skin and eyes.
Propylene Glycol Methyl Ether	< 0.001 %	107-98-2	Irritant to eyes, skin and mucous membranes.
Chromium Compounds	< 0.001 %	N/A	

MATERIAL SAFETY DATA SHEET (MSDS)	TimberLuxe P.O. Box 462 Nevada, MO 64772
TimberLuxe Semi-Gloss	

Section III – Physical Data	
Boiling Point	164°C
Specific Gravity	Less than 1
VOC	3.97 lbs/ gallon
Appearance	Clear to cloudy, orange, liquid

Section IV – Fire and Explosion Information	
Flash Point	> 133 F
Auto-Ignition Temperature	Not determined
Preventive Measures	NO open flames, NO sparks, NO smoking.
Flammability	Combustible, Class II Combustible Liquid
Extinguishing Media	Dry powder, AFFF, alcohol-resistant foam, water spray may be ineffective on fire, but can protect fire-fighters and cool closed containers.
Firefighting, Large Fires	Large fires not expected by quantities available to end user.
Special Fire and Explosion Hazards	Combustible. Keep container tightly closed. Empty container is very hazardous.

Section V– Regulatory Hazards Information	
TSCA	None Listed
Carcinogen	CA Prop 65 -Not Listed
Mutagen	Not Listed
Corrosive	No
NFPA Codes:	Health – 2 Flammability – 2 Reactivity – 0 Oxidizer - 0

Section VI– Health Hazards Exposure Data	
Permissible Exposure Level	Untested
Primary Sources of Entry:	Respiratory, mouth, skin and eye..

MATERIAL SAFETY DATA SHEET (MSDS)	TimberLuxe P.O. Box 462 Nevada, MO 64772
TimberLuxe Semi-Gloss	

Section VII– Health Hazards Exposure Data – First Aid			
If on skin	If in eyes	If swallowed	If Inhaled
In case of contact, immediately remove contaminated clothing. Wash skin with soap and water to prevent further exposure. Wash contaminated clothing before reuse. Soaked clothing or rags may spontaneously combust.	Remove contact lenses and flush eyes with copious quantities of water for 15 minutes. Move patient to fresh air as soon as possible.	Get medical attention immediately. Rinse mouth. Do not induce vomiting. Individuals should be treated as having an acute, non-specific airway reaction by an appropriate specialist. Remove stomach contents by gastric suction.	If liquid is inhaled, obtain medical attention at once. If breathing is difficult, administer oxygen. If high concentrations of vapors are inhaled, immediately remove subject to fresh air. If not breathing, begin artificial respiration.

Section VIII– Reactivity Data	
Hazardous polymerization	No
Stability	Stable
Spontaneous Combustion	Not if properly stored. See Section VII
Incompatibility	Avoid contact with strong acids or bases, or oxidizers.

Section IX – Spill or Leak Procedures	
Steps to be taken in case material is leaked or spilled:	
Small Spill:	Stop spill at once. Dike and contain. Absorb remaining liquid in sand or other inert material. Remove to a safe place for sealed containment. Do not wash away into sewage, runoff, or drain.
Large Spills:	Large spills not possible for intended final customer. However, for manufacturers and distributors, large spills can be controlled by surrounding with an absorbent, inert material. Evacuate and ventilate spill area. Use minimal response personnel. Avoid skin and eye contact, and if they occur, rinse copiously with water and obtain medical attention if irritation persists. Contact local hazmat authorities.
Waste Disposal:	Rags or materials soaked in product may spontaneously combust. Submerge in water and/or store in explosion-proof containment immediately. Material is intended to be completely used by the consumer or supplier. If disposed of, observe local, state, and federal regulations regarding ingredients.

Section X – Protective Equipment to be Used	
Skin and Body Covering	Gloves, shoes, and apron impervious to this material should be worn.
Eye Protection	Avoid contact with eyes. Wear goggles or other eye protection.

MATERIAL SAFETY DATA SHEET (MSDS)	TimberLuxe P.O. Box 462 Nevada, MO 64772
TimberLuxe Semi-Gloss	

Respiratory Protection	Use only in a well ventilated area or with adequate respiratory protection if work area is not well-ventilated. NIOSHA approved respirator, when work conditions do not allow adequate ventilation. .
---------------------------	---

Section XI – Special Precautions or Other Comments
Discarded materials, including containers containing appreciable amounts of product, are to be disposed of in accordance with local, state and federal regulations.
Keep out of reach of children.
The information accumulated herein is believed to be accurate, but is not warranted to be, whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable for their circumstances.

SECTION 14 — TRANSPORT INFORMATION

DOT Classification: Class 23
Hazard Class: Class 3/Combustible Liquid

SECTION 15 — REGULATORY INFORMATION

Not regulated

SECTION 16 — OTHER INFORMATION

THE INFORMATION CONTAINED HEREIN IS BELIEVED TO BE ACCURARE AND RELIABLE; HOWEVER, NO WARRANTY EITHER EXPRESSED OR IMPLIED IS MADE. CONDITIONS UNDER WIICH THIS INFORMATION MAY BE APPLIES ARE BEYOD ARE CONTROL AND WE CAN ASSUME NO LIABILITY FOR RESULTS OF ITS APPLICATION. THIS PRODUCT IS DESIGNED TO BE USED BY PERSONS HAVING SUFFICIENT SKILL TO MAKE INFORMED JUDGEMENTS REGARDING ITS APPLICATION.